

---

# **Geoloqi Documentation**

***Release 12.101***

**Tristan Waddington**

October 10, 2012



# CONTENTS



Geoloqi is a powerful platform for real-time location, messaging, and analytics. For more information visit [Geoloqi.com](https://geoloqi.com).



# FEATURES

- Full test suite!





# REQUIREMENTS

- Mock (for tests)



# GETTING STARTED

You can install the library directly from [PyPi](#) with pip.

```
$ pip install geoloqi-python
```

You can create a config file that holds your client credentials. If you do so you won't have to provide them when instantiating a new Geoloqi object. The config file can be in the current user's home directory as `.geoloqi` or in the system `/etc/geoloqi/geoloqi.config`.

The configuration file should have the following format:

```
[Credentials]
user_access_token = <your_user_access_token>
application_access_key = <client_api_key>
application_secret_key = <client_api_secret>
```

You must provide either your user access token or your application's access key and secret. Either can be obtained from the Geoloqi [developers site](#).

For more detailed information please see the `geoloqi` method documentation.



# EXAMPLES

Get the active user's profile info:

```
>>> from geoloqi.geoloqi import Geoloqi
>>> g = Geoloqi(access_token="<your_user_access_token>")
>>> g.get('account/profile')
```

Create a new sharing link:

```
>>> from geoloqi.geoloqi import Geoloqi
>>> g = Geoloqi(access_token="<your_user_access_token>")
>>> g.post('link/create', {'minutes': 180,})
```

Note: If you have created a config file with your Geoloqi credentials your access token may be omitted in the examples above.



# CONTRIBUTING

Please fork the project on [GitHub](#) and send us a pull request! If you have a problem, please file an issue and we'll respond as soon as we can.

There are many other ways to [get support](#) from the Geoloqi [developers site](#).





# INDICES AND TABLES

- *genindex*
- *modindex*
- *search*